



SYSTEMSEASY ASSEMBLY, A CLEAN RESULT: THE HORIZONTAL CYCLONE



SPACE-SAVING, PRACTICAL, PERFECT



Explanatory video
about horizontal cyclone

The patented horizontal cyclone from JACOB fits into almost every pipe system. Its design makes it easy to integrate with straight pipes. This makes it the first choice when retrofitting a cyclone. But it also proves its worth in new performance systems, where it reliably cleans the airflow of particles and sparks.


Ingeniously horizontal. For use in these applications:

These horizontal cyclones belong to the JACOB modular pipework system. They can be integrated into your system as required:

- As a pre-filter, to clean the air of dust particles, and thus extend the life of filter systems
- To separate large-volume, low-density particles, such as in the medical industry

Your advantages at a glance:


- Their elongated form is easy to integrate with straight pipes
- Their modular design makes light work of replacing worn components
- As passive components they do not require their own power supply
- Proven JACOB quality



**Technical data (dimensions for 2.0 mm material thickness)
Powder-coated, galvanised or stainless-steel versions**

DN 1	DN 2	DN 3	NW	L 1	L 2	L 3	Volumenstrom m ³ /h	Druckverlust Pa
80	80	80	125	480	205	405	360	1050
100	100	80	180	600	240	515	560	1050
120	120	80	200	700	270	610	810	1050
150	150	80	255	850	360	750	1270	1050
175	175	150	300	975	395	865	1730	1050
200	200	150	355	1100	430	980	2260	1050
224	224	150	400	1200	460	1075	2830	1050
250	250	150	400	1350	550	1215	3510	1050
300	300	150	500	1600	620	1450	5080	1050
350	350	150	560	1850	690	1680	6900	1050
400	400	350	630	2095	810	1910	9050	1050
450	450	350	720	2345	880	2145	11450	1050
500	500	350	800	2595	950	2375	14100	1050
560*	560*	350*	1000	2900	1080	2660	17730	1050
630*	630*	350*	1000	3250	1180	2990	22450	1050
710*	710*	350*	1255	3655	1290	3365	28500	1050
800*	800*	350*	1400	4585	1515	4260	36200	1050

*Material thickness 3 mm



**QUICK
CONNECT**



**FOOD
GRADE**
EG/EC 1935/2004 plus FDA



**DETECTABLE
DESIGN**

The new horizontal cyclone from JACOB combines reliable airflow cleaning with easy assembly. With its horizontal orientation, it is easy to integrate into existing pipework systems without requiring any further modification. Its intelligent design also facilitates the quick replacement of individual worn components. The horizontal cyclone is primarily used as a preseparator for filter systems or as a separator for lowdensity particles, such as in plastics processing. This makes the horizontal cyclone the ideal complement to our current range of vertical cyclones.

The basic principle is simple: An impeller sets the airflow in a rotating motion, and a constriction accelerates this rotation. Due to the centrifugal forces, particles are driven outwards, decelerated at the inner wall and extracted through the discharge. The clean airflow passes through the dip pipe into the downstream pipe system.

The horizontal cyclone is available in connection diameters from 80 to 800 mm for a volumetric flow of 360 to 36,200 m³/h at an air velocity of 20 m/s.

FR. JACOB SÖHNE GMBH & CO. KG

Sales International
T +49 571 9558-201
F +49 571 9558-240
sales@jacob-rohre.de
www.jacob-group.de

Version 2, issued 02/2022

JACOB

NO. 1 IN PIPEWORK SYSTEMS