THE PULL-RING SYSTEM – NOW ALSO IN DN 160 MM

AVAILABLE FROM 01/06/2024!

JACOB

NO.1 IN PIPEWORK SYSTEMS

JACOB IS EXPANDING ITS PORTFOLIO

The proven pull-ring system is now available in a 160mm-diameter. Most importantly of all, pipe systems with the nominal diameter commonly used in ventilation systems now benefit from short installation times and a perfect seal. In the standard range, you can also choose from popular connecting flanges and cone pieces. In this way, you can connect your machines conveniently and safely with the JACOB modular pipework system.

Your advantages at a glance:

- JACOB has expanded its standard product portfolio to include diameter DN 160 mm for use in applications such as ventilation systems.
- DN 160 mm pull-rings in proven JACOB quality for leak tightness and flexibility.
- U-shaped seals made from EPDM, NBR, silicone, and FKM in our customary quality.
- Product finish in its standard version:
  Stainless steel in FOOD GRADE quality, powder coated in RAL 7032 to make it suitable for contact with food, and hot-dip galvanised finish in mild steel.

For more information, go to
www.jacob-group.com/uk

INQUIRE NOW!

Contact us if you want to know more about the pull-ring systems and various connection options.
We look forward to your inquiries!.

JACOB UK LIMITED
Sales UK
T +44 1694 722841
sales@jacob-uk.com
www.jacob-group.com/uk

Version 4, last updated 08/2024

JACOB
NO.1 IN PIPEWORK SYSTEMS